ILLUSTRATED PARTS






1995

SHREDDERS

Model Number	Pages	Model Number	Pages
245-641A000	2, 3	245-648D000	8, 9
245-642D000		245-649C000	6, 7
245-643C000		245-650B000	4, 5
245-645A000		245-650C000	6, 7
245-645B000	•	245-651B000	4, 5
245-645C000		245-653B000	4, 5
245-647C000			
245-648B000		290-002-000	10
245-648C000		290-003-000	10

Models 641A and 645A



Models 641A and 645A


PARTS LIST FOR SHREDDERS

.⊀EF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	742-0571	· · · · · · · · · · · · · · · · · · ·	Blade	28	736-0242		Bell-Wash345" I.D. x .88"
ż	710-0818		Hex Patch Bolt 3/8-24 x 2" Lg.	29	720-0170		Hand Knob
	710 0010		(Gr. 8)†	30	747-0744A		Chipper Door Rod
	710-1254		Hex Patch Bolt 3/8-24 x 2.25"	31	732-0542		Torsion Spring 1.14" Lg.
	7 10 120		(Gr. 8)††	32	781-0489		Chipper Door
3	714-0114		Sq. Key 1/4 x 2.0" Lg.†	33	781-0475		Chipper Chute Ass'y.
4	736-0217		L-Wash. 3/8" I.D. H.D.	34	736-0170		Spec. L-Wash. 5/16" I.D.
5	736-0247		FI-Wash406" I.D. x 1.25"	35	712-3010		Hex Nut 5/16-18 Thd. (Gr. 5)
			O.D. Hdn.	36	781-0510A		Shredder Frame
6	11459B		Flail	37	710-0157		Hex Bolt 5/16-24 x .75" Lg.
7	711-0564		Flail Spacer	38	736-0119		L-Wash. 5/16" I.D.*
8	711-0833A		Clevis Pin .496" Dia.	39	710-3008		Hex Bolt 5/16-18 x .75" Lg.
9	711-0834		Flail Spacer w/.160" Dia. Hole				(Gr. 5)
10	715-0249		Spring Roll Pin 1.12" Lg.	40	710-0442		Hex Bolt 5/16-18 x 1.5" Lg.*
11	736-0192		Fl-Wash531" I.D. x .94" O.D.	41	681-0004		Flail Housing Ass'yL.H.
12	681-0002		Impeller Ass'y. Comp.†	42	781-0474A		Flail Housing Ass'yR.H.
ļ	681-0030		Impeller Ass'y. Comp. ††	43	735-0639		Spark Plug Boot
			(Incl. Ref. 1, 6, 7, 8, 9, 10,	44			Engine
			11, 12, 13, 14)	47	712-0429		Elastic Lock Nut 5/16-18 Thd.
13	781-0490		Chipper Blade	50	736-0264		Fl-Wash. 5/16" I.D.
14	710-1054		Flat Hd. Scr. 5/16-24 x .75" Lg.	52	781-0521		Back-Up Plate
15	712-0411		Hex Top L-Nut 5/16-24 (Gr. 5)	59	726-0214		Push Cap 5/8" Dia. Rod
16	736-0119		L-Wash. 5/16" I.D.*	60	737-0195		Drain Elbow (5 HP B&S)
17	710-0825		Hex Bolt 1/4-20 x 3.75" Lg.*	61	750-0786	İ	Spacer .64" I.D. x .38" Lg.
18	736-0142		FI-Wash281" I.D. x .50" O.D.	62	738-0814		Shredder Axle
- 19	750-0793		Chute Hinge Spacer 1.66" Lg.	63	734-1603	!	Wheel Ass'y. Comp.
0ر	711-0835		Clevis Pin .5" Dia. x 4.62" Lg.	79	781-0519		Hopper Support Brkt.
<i>2</i> 2	712-0291		Hex Ctr. L-Nut 1/4-20 Thd.*	80	781-0515		Front Support Brkt.
23	714-3010		Cotter Pin	81	731-1307		Leaf Hopper Hopper Shield
24	781-0457	1	Shredder Screen	82	781-0589		Bag (Not Shown)
25	714-0149B	8	Internal Cotter Pin 3/8" Dia.	-	764-0199A		Safety Glasses (Not Shown)
26	781-0480	1	Chute Deflector Ass'y.	_	723-0400		Salety Glasses (Not Shown)
27	712-3010		Hex Nut 5/16-18 Thd. (Gr. 5)				

†Used with Keyed Engine Crankshaft. ††Used with Tapered Engine Crankshaft.

^{*}For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.

Models 645B, 648B, 650B, 651B and 653B



Models 645B, 648B, 650B, 651B and 653B


PARTS LIST FOR SHREDDERS

	PARTS LIST FOR SHREDDERS						
REF.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	742-0571		Blade	41	681-0004		Flail Housing Ass'y.—L.H.
2	710-1254		Hex Patch Bolt 3/8-24 x 2.25"	42	781-0474A		Flail Housing Ass'y.—R.H.
2	710-1254		(Gr. 8)	43	735-0639		Spark Plug Boot (Optional)
	736-0217		L-Wash. 3/8" I.D. H.D.	44			Engine
4	736-0217		Fl-Wash406" I.D. x 1.25" O.D.	45	747-0531A		Release Bar
5	/30-024/		Hdn.	46	732-0546]	Torsion Spring 1.06" Lg.
	11459B		Flail	47	712-0429		Elastic Lock Nut 5/16-18 Thd.
6			Flail Spacer	48	710-0601		Hex Wash. Hd. Self-Tap Scr.
7	711-0564		Clevis Pin .496" Dia.	-0	, 10 000.		5/16-18 x .75" Lg.
8	711-0833A		Flail Spacer w/.160" Dia. Hole	49	11480		Stop Washer
9	711-0834		Spring Roll Pin 1.12" Lg.	50	736-0264		FI-Wash. 5/16" I.D.
10	715-0249		FI-Wash531" I.D. x .94" O.D.	51	710-0542		Hex Bolt 5/16-18 x 8.38" Lg.
11	736-0192 681-0030		Impeller Ass'y. Comp.	52	781-0487B		Back-Up Plate
12	001-0030		(Incl. Ref. 1, 6, 7, 8, 9, 10, 11,	53	16522B		Inlet Guide Ass'y.
			12, 13, 14)	54	11481B		Hopper Ass'y.
10	781-0490	ļ	Chipper Blade	55	781-0509		Lower Leaf Ramp Section
13			Flat Hd. Scr. 5/16-24 x .75" Lg.	56	710-0286		Truss Mach. Scr. 1/4-20 x .5"*
14	710-1054 712-0411	1	Hex Top L-Nut 5/16-24 (Gr. 5)	57	712-0107		Hex L-Nut 1/4-20 Thd.
16	736-0119		L-Wash. 5/16" I.D.*	58	11461B	-	Upper Leaf Ramp Section
17	710-0825		Hex Bolt 1/4-20 x 3.75" Lg.*	59	726-0214		Push Cap 5/8" Dia. Rod
18	736-0142		Fl-Wash281" I.D. x .5" O.D.	60	737-0195		Drain Elbow (5 HP B&S)
19	750-0793		Chute Hinge Spacer 1.66" Lg.		737-0125		Drain Elbow (8 HP B&S)
20	711-0835		Clevis Pin .5" Dia. x 4.62" Lg.	61	750-0786		Spacer .64" l.D. x .38" Lg.
22	712-0291		Hex Ctr. L-Nut 1/4-20 Thd.*	62	738-0814		Shredder Axle†
23	714-3010		Cotter Pin 3/32" x 5/8"		738-0813		Shredder Axle††
₹20	781-0457		Shredder Screen	63	734-1600		Wheel Ass'y. Comp. (Plastic-
.5	714-0149B		Internal Cotter Pin 3/8" Dia.				10 x 2.5)
, 26	781-0480		Chute Deflector Ass'y.		734-1597		Wheel Ass'y. Comp. (Steel-
27	712-3010		Hex Nut 5/16-18 Thd. (Gr. 5)				10 x 4)
28	736-0242	1	Bell-Wash345" I.D. x .88"		734-1598		Tire Only††
29	720-0170		Hand Knob	64	734-1455		Rim Only††
30	747-0744A		Chipper Door Rod	65	741-0487	-	Flange Bearing .632" I.D.††
31	732-0542		Torsion Spring 1.14" Lg.	66	734-0255		Air Valve††
32	781-0489		Chipper Door	67	737-0280		Grease Fitting††
33	781-0475		Chipper Chute Ass'y.	68	710-0895		Hex Hi-Low Scr. 1/4 x .75"
34	736-0170		Spec. L-Wash. 5/16" I.D.				(650, 651)
35	712-3010		Hex Nut 5/16-18 Thd. (Gr. 5)	69	710-3038		Hex Bolt 5/16-18 x .88" Lg.
36	781-0510A	N.	Shredder Frame (645, 648)				(650, 651)
-	781-0459A		Shredder Frame (650, 651, 653)	70	726-0205		Hose Clamp (650, 651)
37	710-0157		Hex Bolt 5/16-24 x .75" Lg.	71	751-0535-7		Fuel Line-7 in. (650, 651)
38	736-0119		L-Wash. 5/16" I.D.*	72	751-0570		Fuel Tank Ass'y. Comp.
39	710-3008		Hex Bolt 5/16-18 x .75" Lg.	1			(650, 651)
			(Gr. 5)	73	781-0497		Fuel Tank Mtg. Brkt. (650, 651)
40	710-0442		Hex Bolt 5/16-18 x 1.5" Lg.	74	781-0498		Fuel Tank Support Brkt.
			(5 H.P. & 8 H.P. Tec.)				(650, 651)
	710-0380		Hex Bolt 5/16-18 x 1.75" Lg.		764-0199A		Bag (Not Shown)
			(8 H.P.)*	-	723-0400		Safety Glasses (Not Shown)

†Used with 10 x 2.5 Wheel (Plastic—Part No. 734-1600). ††Used with 10 x 4 Wheel (Steel—Part No. 734-1597).

*For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.

Models 643C, 645C, 647C, 648C, 649C and 650C



Models 643C, 645C, 647C, 648C, 649C and 650C


PARTS LIST FOR SHREDDERS

	PARTS LIST FOR SIREDDERS						
REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	742-0571		Blade	43	735-0639		Spark Plug Boot (Optional)
2	710-1254		Hex Patch Bolt 3/8-24 x 2.25"	44	_		Engine
_	1101201		(Gr. 8)	45	747-0531A		Release Bar
4	736-0217		L-Wash. 3/8" I.D. H.D.	46	732-0546		Torsion Spring 1.06" Lg.
5	736-0247		Fl-Wash406" I.D. x 1.25" O.D.	47	712-0429		Elastic Lock Nut 5/16-18 Thd.
"	100 02		Hdn.	48	710-0601		Hex Wash. Hd. Self-Tap Scr.
6	11459B		Flail				5/16-18 x .75" Lg.
7	711-0564		Flail Spacer	49	11480		Stop Washer
8	711-0833A		Clevis Pin .496" Dia.	50	736-0264		FI-Wash. 5/16" I.D.
9	711-0834		Flail Spacer w/.160" Dia. Hole	51	710-0542		Hex Bolt 5/16-18 x 8.38" Lg.
10	715-0249		Spring Roll Pin 1.12" Lg.	52	781-0487B		Back-Up Plate
11	736-0192		Fi-Wash531" I.D. x .94" O.D.	53	16522B		Inlet Guide Ass'y.
12	681-0030		Impeller Ass'y. Comp. (Incl. Ref.	54	781-0494		Pivot Hopper Hood
			1, 6, 7, 8, 9, 10, 11, 12, 13,	55	16524B		Upper Guide Ass'y.
			14)	56	710-0286		Truss Mach. Scr. 1/4-20 x .5"*
13	742-0490		Chipper Blade	57	712-0107		Hex L-Nut 1/4-20 Thd.
14	710-1054		Flat Hd. Scr. 5/16-24 x .75" Lg.	58	11461B		Upper Leaf Ramp Section
15	712-0411		Hex Top L-Nut 5/16-24 (Gr. 5)	59	726-0214		Push Cap 5/8" Dia. Rod
16	736-0119		L-Wash. 5/16" I.D.*	60	737-0195		Drain Elbow (645C & 647C)
17	710-0825		Hex Bolt 1/4-20 x 3.75" Lg.*		737-0125		Drain Elbow (650C)
18	736-0142		FI-Wash281" I.D. x .5" O.D.	61	750-0786		Spacer .64" I.D. x .38" Lg.
19	750-0793		Chute Hinge Spacer 1.66" lg.	62	738-0814		Shredder Axle (643C & 645C)
20	711-0835		Clevis Pin .5" Dia. x 4.62" Lg.		738-0813		Shredder Axle†
22	712-0291		Hex Ctr. L-Nut 1/4-20 Thd.*	63	734-1600		Wheel Ass'y. Comp. (643C &
_23	714-3010		Cotter Pin				645C)
`\4	781-0457		Shredder Screen		734-1597		Wheel Ass'y. Comp.†
.5	714-0149B		Internal Cotter Pin 3/8" Dia.	64	734-1455A		Rim Only†
26	781-0480		Chute Deflector Ass'y.	65	741-0487A		Flange Bearing .632" I.D.†
27	712-3010		Hex Nut 5/16-18 Thd. (Gr. 5)	66	734-0255		Air Valve†
28	736-0242		Bell-Wash345" I.D. x .88"	67	737-0211		Grease Fitting†
29	720-0170		Hand Knob	68	710-0895		Hex Hi-Low Scr. 1/4" x .75" Lg.
30	747-0744A		Chipper Door Rod	60	710 0000		(650C)
31 32	732-0542 781-0489		Torsion Spring 1.14" Lg. Chipper Door	69	710-3038		Hex Bolt 5/16-18 x .88" Lg. (650C)
33	781-0469		Chipper Door Chipper Chute Ass'y.	70	726-0205		Hose Clamp (650C)
34	736-0170		Spec. L-Wash. 5/16" I.D.	71	751-0535-7		Fuel Line—7" Lg. (650C)
35	712-3010		Hex Nut 5/16-18 Thd. (Gr. 5)	72	751-0535-7 751-0570		Fuel Tank Ass'y. Comp. (650C)
36	781-0510A		Shredder Frame	73	781-0370 781-0497		Fuel Tank Mtg. Brkt. (650C)
30	781-0310A		Shredder Frame (650C Only)	74	781-0497 781-0498		Fuel Tank Support Brkt. (650C)
37	710-0157		Hex Bolt 5/16-24 x .75" Lg.	75	732-0629		Torsion Spring
38	736-0119		L-Wash. 5/16" I.D.*	76	747-0747		Hopper Door Rod
39	710-3008		Hex Bolt 5/16-18 x .75" Lg.		781-0492		Hopper-Pivot Door
30			(Gr. 5)	77 78	781-0493		Hopper Lockout Brkt.
40	710-0380		Hex Bolt 5/16-18 x 1.75" Lg.*	79	726-0106		Cap Speed Nut 1/4" Rod
41	681-0004		Flail Housing Ass'y.—L.H.		764-0199A		Bag (Not Shown)
42	781-0474A		Flail Housing Ass'y.—R.H.		723-0400		Safety Glasses (Not Shown)
			,			<u> </u>	1

†Models 647C, 648C, 649C and 650C

Models 642D and 648D

OPTIONAL ACCESSORIES



Models 642D and 648D

PARTS LIST FOR MODELS 642D AND 648D SHREDDER

REF.	PART	PART DODG DECORPORA			PART		
NO.	NO.	CODE	DESCRIPTION	NO.	NO.	CODE	DESCRIPTION
1	742-0571		Blade	38	736-0119		L-Wash. 5/16" I.D.*
2	710-1254		Hex Patch Bolt 3/8-24 x	39	710-3008		Hex Bolt 5/16-18 x .75" Lg.
_			2.25" Lg.				(Gr. 5)
4	736-0217		L-Wash. 3/8" I.D. H.D.	40	710-0442		Hex Bolt 5/16-18 x 1.5" Lg.*
5	736-0247		FI-Wash406" I.D. x 1.25"	41	681-0004		Flail Housing Ass'y.—L.H.
			O.D. Hdn.	42	781-0474A	!	Flail Housing Ass'y.—R.H.
6	11459B		Flail	43	735-0639		Spark Plug Boot
7	711-0564		Flail Spacer	44			Engine
8	711-0833A		Clevis Pin .496" Dia.	47	712-0429		Elastic Lock Nut 5/16-18 Thd.
9	711-0834		Flail Spacer w/.160" Dia. Hole	48	731-1428		Hopper Mtg. Collar
10	715-0249		Spring Roll Pin 1.12" Lg.	49	781-0568		Locking Pin FI-Wash. 5/16" I.D.
11	736-0192		Fi-Wash531" I.D. x .94" O.D.	50 53	736-0264		
12	681-0030		Impeller Ass'y. Comp.	54	732-0730 736-0117		Spring 1.5" Lg. FI-Wash385" I.D. x .62" O.D.
13 14	781-0490 710-1054		Chipper Blade Flat Hd. Scr. 5/16-24 x .75" Lg.	55	749-0932		Handle
15	710-1054		Hex Top L-Nut 5/16-24 (Gr. 5)	56	781-0574		Back-Up Plate
16	736-0119		L-Wash. 5/16" I.D.*	57	781-0562		Lower Locking Brkt.
17	710-0825		Hex Bolt 1/4-20 x 3.75" Lg.*	58	781-0561		Upper Locking Brkt.
18	736-0142		Fl-Wash281" I.D. x .50" O.D.	59	726-0214		Push Cap 5/8" Dia. Rod
19	750-0793		Chute Hinge Spacer 1.66" Lg.	61	750-0786		Spacer .64" I.D. x .38" Lg.
20	711-0835		Clevis Pin .5" Dia. x 4.62" Lg.	62	738-0814		Shredder Axle (642D)
21	731-1427		Rotating Hopper (642D)		738-0813		Shredder Axle (648D)
- :	731-1512	N	Rotating Hopper (648D)	63	734-1600		Wheel Ass'y. Comp. (642D)
22	712-0291		Hex Ctr. L-Nut 1/4-20 Thd.		734-1597		Wheel Ass'y. Comp. (648D)
23	714-3010		Cotter Pin		734-1598		Tire Only (648D)
~?4	781-0457		Shredder Screen	64	720-0232		Knob
5	714-0149B		Internal Cotter Pin 3/8" Dia.	65	710-0376		Hex Bolt 5/16-18 x 1" Lg. (Gr. 5)
26	781-0480	ŀ	Chute Deflector Ass'y.	66	710-1267		Curved Carr. Bolt 5/16-18 x
27	712-3010		Hex Nut 5/16-18 Thd. (Gr. 5)				1.25" Lg.
28	736-0242		Bell-Wash345" I.D. x .88"	67	736-0451		Saddle Wash32" I.D.
29	720-0170		Hand Knob	68	710-0451		Carr. Bolt 5/16-18 x .75" Lg.
30	747-0744A		Chipper Door Rod	69	781-0515		Front Support Brkt.
31	732-0542		Torsion Spring 1.14" Lg.	70	741-0487A		Flange Bearing .632" I.D. (648D)
32	781-0489		Chipper Door	71	734-1455A		Rim Only (648D)
33	781-0475		Chipper Chute Ass'y.	72	737-0211		Grease Fitting (648D)
34	736-0170		Spec. L-Wash. 5/16" I.D.	73 74	734-0255 720-0280		Air Valve (648D)
35	712-3010		Hex Nut 5/16-18 Thd. (Gr. 5) Shredder Frame	74	720-0280 764-0199A		Foam Grip Bag (Not Shown)
36	781-0510A 710-0157		Hex Bolt 5/16-24 x .75" Lg.		723-0400		Safety Glasses (Not Shown)
3/	710-0137		TIEN DOIL 3/10-24 X ./3 Ly.		120-0-00	<u></u>	Carcty Chasses (NOT Officer)


^{*}For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.

VACUUM HOSE KIT

PARTS LIST FOR MODEL 290-002 VACUUM HOSE KIT

REF. NO.	PART NO.	QTY.	DESCRIPTION
1	710-0106	1	Hex Bolt 1/4-20 x 1.25 Lg.*
2	710-0258	1	Hex Bolt 1/4-20 x .62" Lg.*
2	712-0291	2	Hex L-Nut 1/4-20 Thd
4	720-0281	1	Grip
4 5	726-0327	2	Adj. Hose Clamp 5" Dia.
6	731-1462	1	Plug
8	736-0451	1	Saddle Washer .32" I.D. x .937"
9	749-0005	1	Handle
10	764-0455	1	Hose5" Dia.
111	731-1524	1	Nozzle Tube
12	710-0323	2	Truss Mach. Scr. 5/16-18 x 3/4"
			Lg.
13	736-3008	4	Fl-Wash344" I.D. x .75" O.D.
14	736-0278	6	Fl-Wash328" I.D. x .58" O.D.
15	712-0158	2	Hex L-Nut 5/16-18 Thd.

Model Number 290-002-000



TOW HITCH KIT

PARTS LIST FOR MODEL 290-003 TOW HITCH KIT

	REF. NO.	PART NO.	CODE	DESCRIPTION
	1	681-0042		Tow Bar Base
1	2	681-0043	-	Tow Bar Tongue
	2 3	710-3001		Hex Bolt 3/8-16 x .88' Lg. (Gr. 5)
	4	711-0299		Clevis Pin 2.4" Lg.
	5	712-0798		Hex Nut 3/8-16 Thd.*
-	6	736-0133		Fl-Wash406" I.D. x 1.25" O.D.
				x .10"
	7	711-0835		Clevis Pin 4.62" Lg.
	8	732-0194		Spring Pin
	9	736-0169		L-Wash. 3/8" I.D.*

*For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.

Model Number 290-003-000

